

Revision Date: December 2021

Phone: +39 0362 1547305

Fax: +39 039 8942754

Version: 1.1

## MB HYDRO NUC 35T

## Foaming agent masterbatch

MB HYDRO NUC 35T is a non-hazardous and environmentally friendly endothermic foaming agent masterbatch. MB HYDRO NUC 35T can be used also as nucleating agent during direct expansion process in order to obtain small and uniform cell structure. MB HYDRO NUC 35T is suitable for PS, thermoplastics olefin elastomer, PE,PP, PET and PA. MB HYDRO NUC 35T is suited for automotive and packaging applications. MB HYDRO NUC 35T helps in reducing weight without affecting mechanical properties. Recommended dosage is 0.3-1%.

## PHYSICAL-CHEMICAL PROPERTIES

Appearance White/Pale yellow granule

40±5 Active component,% Density, g/cm3 1.2±0.2

HANDLING AND STORAGE: Processing and use of MB HYDRO NUC 35T requires adequate technical and

professional knowledge. Please consult safety data sheet for further handling,

storage and toxicity information.

MB HYDRO NUC 35T has to be stored in tightly sealed original container in a

cool and well-ventilated area, away from direct sunlight.

PACKAGING: Standard packaging size of MB HYDRO NUC 35T is in 25 Kg.

**IMPORTANT NOTE** Some plastic additives, fillers or pigments can have a significant influence on

> properties of end product. Before using this product, please get all necessary information. Stop-machine at high temperature could create degradation of

polymers. Please clean with neutral polymers.

## DISCLAIMER:

Information contained in this document is provided to the best of our knowledge and is considered true as per revision date. We do not accept any liability for loss and damage that may occur from the improperly use of this information and for the use against the safety legal requirements and patent rights. This specification does not release the customer from the obligation to check the product as to its suitability for intended area of usage.